

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6,671,508".pn. and (messag\$3 indicat\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:22
S1	10	(storage or storing or store) with ((service or function) adj information) with (including or containing) with (available or availability) with services!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 22:02
S2	75	(storage or storing or store) with ((service or function) with information) with (including or containing) with (available or availability) with services!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 22:02
S3	24	((storage or storing or store) with ((service or function) with information) with (including or containing) with (available or availability) with services!) and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 22:03
S4	15	((store or storing) adj3 (help or guidance or troubleshoot\$3) with information) same service) and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 22:27
S5	62	((store or storing) with (help or guidance or troubleshoot\$3) with information) same service) and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:02
S6	105	((store or storing or stored or memory) with (help or guidance or troubleshoot\$3) with information) same service) and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:02
S7	6182	(terminal or apparatus or device or server or gateway or fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 15:39

S8	1160	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 13:03
S9	363	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 13:33
S10	155	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:13
S11	68	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:11

S12	68	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 10:44
S13	68	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility or (status near4 availab\$5)) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 11:36
S14	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 09:48

S15	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) same (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 10:52
S16	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) same (status with availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 10:53
S17	6	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) same (status with availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 10:53

S18	20	(terminal or apparatus or device or server or gateway or fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and SPID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 19:09
S19	191	(fax or facsimile) and (memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:40
S20	778	(fax or facsimile) same (memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:40
S21	889	(fax or facsimile) same (list\$3 or memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:49
S22	416	((fax or facsimile) same (list\$3 or memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))) and ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:42

S23	15	(fax or facsimile) same (detect\$3 with availab\$5 with service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:54
S24	6	(fax or facsimile) same (detect\$3 with availab\$5 with (service or feature)) and (stor\$3 with availab\$5 with (service or feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 13:49
S25	39	(fax or facsimile) and (detect\$3 with availab\$5 with (service or feature)) and (stor\$3 with availab\$5 with (service or feature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 13:49
S26	632	(fax or facsimile) and ((press\$3 or depress\$3) with (key or button) with (simultaneous\$2 or ("same time") or together or concurrent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:21
S27	130	((fax or facsimile) and ((press\$3 or depress\$3) with (key or button) with (simultaneous\$2 or ("same time") or together or concurrent))) and (email or e-mail or (electronic adj1 mail) or (internet adj1 mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:22
S28	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlan<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 09:52

S29	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<"19991228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 09:53
S30	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<"20011228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 09:53
S31	1260	(service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:54
S32	962	((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:16
S33	961	((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:54

S34	305	(((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:18
S35	235	(((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:05
S36	893	(fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:20
S37	809	((fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or offer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 07:57
S38	809	(((fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with services! with availab\$5 or offer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:18
S39	794	(((fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with services! with availab\$5 or offer\$3)) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:18



S40	619	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:36
S41	47	(database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:36
S42	13	(fax or facsimile) and (database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:31
S43	13	(fax or facsimile) and (database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:31
S44	3	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (availab\$5 or offer\$3))) and (database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:40
S45	178	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (availab\$5 or offer\$3))) and ((display\$3 or indicat\$3 or show\$3) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:50
S46	2	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (unavailab\$5 or "not offer\$3"))) and ((display\$3 or indicat\$3 or show\$3) with (services! near5 (availab\$5 or offer\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 13:50

S47	49	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) same (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:14
S48	81	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) and (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:14
S49	32	((fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) and (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) not ((fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) same (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:23
S50	346	stor\$3 with (fax or facsimile) with services!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 15:26
S51	59	(stor\$3 with (fax or facsimile) with services!) same availab\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 10:54